AMENDMENTS TO THE CLAIMS:

The following is a complete listing of all claims, including amendments, with a status identifier in parenthesis.

Listing of Claims

1. (Currently Amended) A <u>magnetic</u> material comprising: a semiconductor [an amorphous material]; and

an electrical conductivity adjusting [a] dopant, wherein the semiconductor [amorphous material] displays ferromagnetic [magnetic] behavior, and wherein the magnetic material does not contain Cr, Mn, Co, Ni, or Fe, and further wherein the magnetic material has a conductivity in the range of between 1 x 10^4 (Ω cm)⁻¹ and 1 x 10^{-10} (Ω cm)⁻¹.

- 2. (Currently Amended) A <u>magnetic</u> material according to claim 1, wherein the <u>semiconductor</u> [amorphous material] includes a nanoparticle.
- 3. (Currently Amended) A <u>magnetic</u> material according to claim 1, wherein said <u>electrical conductivity adjusting</u> dopant comprises a dopant selected from n-type and p-type dopants.
- 4. (Currently Amended) A <u>magnetic</u> material according to claim 2, wherein said <u>electrical conductivity adjusting</u> dopant comprises a dopant selected from n-type and p-type dopants.

- 5. (Currently Amended) A <u>magnetic</u> material according to claim 1, wherein said <u>electrical conductivity adjusting</u> dopant comprises a dopant selected from [transition metals], alkaline earth metals, alkali metals, and rare earth elements.
- 6. (Currently Amended) A <u>magnetic</u> material according to claim 2, wherein said <u>electrical conductivity adjusting</u> dopant comprises a dopant selected from [transition metals], alkaline earth metals, alkali metals, and rare earth elements.
- 7. (Currently Amended) A <u>magnetic</u> material according to claim 1, wherein said <u>semiconductor</u> [amorphous material] has a defect density of at least 1 x 10²⁰ defects/cm³.
- 8. (Currently Amended) A <u>magnetic</u> material according to claim 2, wherein said <u>semiconductor</u> [magnetic amorphous] has a defect density of at least 1 x 10²⁰ defects/cm³.
- 9. (Currently Amended) A <u>magnetic</u> material according to claim 1, wherein said <u>semiconductor</u> [amorphous material] comprises silicon.
- 10. (Currently Amended) A <u>magnetic</u> material according to claim 2, wherein said <u>semiconductor</u> [amorphous material] comprises silicon.

11. (Currently Amended) A <u>magnetic</u> material according to claim 10, wherein said <u>nanoparticle comprises</u> [nanoparticles comprise] silicon.

- 12. (Currently Amended) A <u>magnetic</u> material according to claim 1, wherein said <u>semiconductor</u> [amorphous material] comprises a material selected from III-V semiconductors or II-VI semiconductors.
- 13. (Currently Amended) A <u>magnetic</u> material according to claim 2, wherein said <u>semiconductor</u> [amorphous material] comprises a material selected from III-V semiconductors or II-VI semiconductors.
- 14. (Currently Amended) A <u>magnetic</u> material according to claim 1, wherein said <u>magnetic</u> [amorphous] material comprises a metal.
- 15. (Currently Amended) A <u>magnetic</u> material according to claim 2, wherein said <u>magnetic</u> [amorphous] material comprises a metal.
- 16. (Currently Amended) A <u>magnetic</u> material according to claim 2, wherein said nanoparticles comprise a material selected from at least one of a Group III element and a Group V element.

17. (Currently Amended) A <u>magnetic</u> material according to claim 2, wherein said nanoparticles comprise a material selected from at least one of a Group II element and a Group V1 element.

18. (Currently Amended) A material comprising:

<u>a semiconductor selected from Si, Ge, and SiGe,</u> [an amorphous material], wherein said <u>semiconductor</u> [amorphous material] <u>displays ferromagnetic behavior</u> [comprises a ferromagnetic semiconductor]; and

a dopant, wherein the material has a conductivity in the range of between 1 x 10^4 (Ω cm)⁻¹ and 1 x 10^{-10} (Ω cm)⁻¹.

- 19. (Currently Amended) A material according to claim 18, wherein the semiconductor [amorphous material] includes a nanoparticle.
- 20. (Original) A material according to claim 18, wherein said dopant comprises a dopant selected from n-type and p-type dopants.
- 21. (Original) A material according to claim 19, wherein said dopant comprises a dopant selected from n-type and p-type dopants.
- 22. (Original) A material according to claim 18, wherein said dopant comprises a dopant selected from transition metals, alkaline earth metals, alkali metals, and rare earth elements.

23. (Original) A material according to claim 19, wherein said dopant comprises a dopant selected from transition metals, alkaline earth metals, alkali metals, and rare earth elements.

- 24. (Currently Amended) A material according to claim 18, wherein said [amorphous] material has a defect density of at least 1 x 10²⁰ defects/cm³.
 - 25. (Newly Added) A magnetic material comprising:

a metal that displays ferromagnetic behavior, wherein the magnetic material does not contain Cr, Mn, Co, Ni, or Fe.